

DATA SHEET

SERENO VIDEO CONFERENCING CAMERA

NMX-VCC-1000 (FG2311-10)



Sereno is a video conferencing camera designed to support conferencing applications in huddle spaces and smaller meeting rooms. Sereno provides HD quality video with outstanding voice capture to deliver exceptional conferences.

COMMON APPLICATIONS

Use Sereno in huddle rooms for video conferencing in combination with Enzo and/or in conference rooms and boardrooms where microphone disconnect and mechanical video shutoff is critical for privacy when camera is not in use.

FEATURES

- 1080p HD Video Excellent video image quality
- **120° Field-of-View –** See all meeting participants even in smaller rooms
- Beamforming Microphones Focus on Voice Capture Filters out unwanted noise, making it easier for participants in a web conference to hear the person speaking
- Mechanical Shutter Blocks Video and Microphones Provides security and confidentiality for business and government applications
- Flexible Mounting Options Swivel base makes Sereno easy to install and adjust; wall mount kit available as an accessory
- Compatible with Enzo Designed to work with AMX's Enzo content sharing platform (Sereno compatibility requires Enzo firmware upgrade to be made available in early 2015)





















SPECIFICATIONS

| GENERAL | |
|-----------------------|---|
| Dimensions (HWD) | 1 3/4" x 7 1/2" x 1 1/2" (43.7 mm x 190 mm x 38.6 mm) |
| Weight | 0.4 lbs (0.18 kg) |
| USB Cable Length | 5 feet (1.5 meters) |
| Mounting Options | Includes a swivel base and double-sided adhesive that can be used to mount the camera above or below a display (swivel base includes a female threaded tripod |
| | mount receptacle) |
| Regulatory Compliance | CE EN 55024 |

| CAMERA | |
|-----------------|--|
| Resolution | Up to 1920x1080p 30fps |
| Encoding Format | h.264/MJEPG/YUY2 |
| Field of View | 120° Wide Angle |
| Digital Zoom | 4x Digital Zoom |
| Focus | 15cm to Infinity |
| Microphones | Dual with beamforming technology |
| Features | Built-in privacy shutter that blocks lens and electronically disconnects |
| | microphone |


| EXPANSION/CONNECTIVITY | 1 |
|------------------------|------------------------|
| Computer Interface | USB 2.0 High Speed UVC |


| POWER CONSUMPTION | |
|-------------------|----------------|
| Watts | 5v / 500mA Max |

For more information about Sereno, please visit: http://www.amx.com/products/NMX-VCC-1000.asp


DIMENSIONS

Expressed in Inches and [Millimeters]









About AMX by HARMAN



Founded in 1982 and acquired by HARMAN in 2014, AMX® is dedicated to providing AV solutions for an IT World. AMX solves the complexity of managing technology with reliable, consistent and scalable systems comprising control, video switching and distribution, digital signage and technology management. AMX systems are deployed worldwide in conference rooms, classrooms, network operation/command centers, homes, hotels, entertainment venues and broadcast facilities, among others. AMX is part of the HARMAN Professional Group, the only total audio, video, lighting, and control vendor in the professional AV market. HARMAN designs, manufactures and markets premier audio, video, infotainment and integrated control solutions for the automotive, consumer and professional markets.

Revised 12.19.14. ©2014 Harman. All rights reserved. Specifications subject to change.